

[illegible]

1. **QUESTION** — What is the main purpose of the passage?
 2. **ANSWER** — To inform the reader about the history of the word "billion."
 3. **QUESTION** — Which of the following is NOT a true statement according to the passage?
 4. **ANSWER** — The word "billion" was first used in the 17th century.

1	2	3
4	5	6

[illegible]

1000

[illegible]

[illegible]

1000

[illegible]

Abstract

THE

CONCRETE & STEEL *Special Advertising Section*

100

100

100

...the ...

1. **Introduction**

U.S. DEPARTMENT OF JUSTICE

CONTEMPORARY CONTEMPORARY—The *Journal of Contemporary Criminal Justice* is a quarterly journal devoted to the publication of original research, theoretical analysis, and critical review of contemporary criminal justice issues. The journal is published by the American Society of Criminology, which is a national organization of criminologists and criminal justice scholars. The journal is published by the American Society of Criminology, which is a national organization of criminologists and criminal justice scholars.

As a result, the company has been able to maintain a strong position in the market, despite the challenges posed by the global economic downturn. The company's focus on innovation and customer service has been a key factor in its success.

[illegible]

RESEARCH *Journal of the American Academy of Child and Adolescent Psychiatry* 35:10 (October 1996):1133-1140.

OBJECTIVE: To determine the prevalence of comorbid anxiety disorders in a sample of 100 children and adolescents with major depressive disorder (MDD).

DESIGN: A retrospective chart review of 100 children and adolescents with MDD.

SETTING: A tertiary care pediatric hospital.

PARTICIPANTS: One hundred children and adolescents with MDD.

MEASUREMENTS AND MAIN RESULTS: The prevalence of comorbid anxiety disorders was 40%. The most common comorbid anxiety disorder was generalized anxiety disorder (20%). The prevalence of comorbid anxiety disorders was significantly higher in the group with MDD than in the group without MDD.

CONCLUSIONS: The prevalence of comorbid anxiety disorders in children and adolescents with MDD is high. The most common comorbid anxiety disorder is generalized anxiety disorder. The prevalence of comorbid anxiety disorders is significantly higher in the group with MDD than in the group without MDD.

APPENDIX A	APPENDIX B	APPENDIX C
...	...	...

APPENDIX D	APPENDIX E
...	...

APPENDIX F	APPENDIX G
...	...

APPENDIX H	APPENDIX I
...	...

APPENDIX J	APPENDIX K
...	...