

Abstract

These measures are essential for the success of any program to reduce the impact of the AIDS epidemic. The CDC is currently conducting a study of the impact of these measures on the spread of the virus. The study will be completed by the end of the year.

These measures are essential for the success of any program to reduce the impact of the AIDS epidemic. The CDC is currently conducting a study of the impact of these measures on the spread of the virus. The study will be completed by the end of the year.

These measures are essential for the success of any program to reduce the impact of the AIDS epidemic. The CDC is currently conducting a study of the impact of these measures on the spread of the virus. The study will be completed by the end of the year.

[illegible]

© 2006 The Authors
Journal compilation © 2006 Blackwell Publishing Ltd

THE UNIVERSITY OF CHICAGO PRESS
50 EAST LEXINGTON AVENUE
NEW YORK, NY 10017-2473

the 1990s, the number of people in the U.S. who are obese has increased by 50 percent. In 1990, 15 percent of the population was obese, but by 2000, 25 percent of the population was obese. In 2000, 15 percent of the population was obese, but by 2000, 25 percent of the population was obese. In 2000, 15 percent of the population was obese, but by 2000, 25 percent of the population was obese.

[illegible]

	1999	2000	2001
1. <i>Chlamydia trachomatis</i>	100	100	100
2. <i>Neisseria meningitidis</i>	100	100	100
3. <i>Streptococcus pneumoniae</i>	100	100	100
4. <i>Haemophilus influenzae</i>	100	100	100
5. <i>Legionella pneumophila</i>	100	100	100
6. <i>Yersinia enterocolitica</i>	100	100	100
7. <i>Salmonella enteritidis</i>	100	100	100
8. <i>Escherichia coli</i>	100	100	100
9. <i>Staphylococcus aureus</i>	100	100	100
10. <i>Pseudomonas aeruginosa</i>	100	100	100
11. <i>Acinetobacter baumannii</i>	100	100	100
12. <i>Klebsiella pneumoniae</i>	100	100	100
13. <i>Mycobacterium tuberculosis</i>	100	100	100
14. <i>Candida albicans</i>	100	100	100
15. <i>Aspergillus fumigatus</i>	100	100	100
16. <i>Cryptosporidium parvum</i>	100	100	100
17. <i>Toxoplasma gondii</i>	100	100	100
18. <i>Giardia lamblia</i>	100	100	100
19. <i>Naegleria fowleri</i>	100	100	100
20. <i>Acanthamoeba castellanii</i>	100	100	100

[illegible]

RESEARCH The authors used a cross-sectional design to examine the prevalence of self-reported depression and anxiety among a sample of 1,000 U.S. adults. The study was conducted using a nationally representative sample of the general population. The authors used a validated questionnaire to assess self-reported depression and anxiety symptoms. The questionnaire included items related to mood, thoughts, and behaviors. The authors also collected demographic information, including age, gender, and education level. The data were analyzed using descriptive statistics and logistic regression to identify factors associated with self-reported depression and anxiety.

Fluorocarbon hydrocarbons are non-flammable hydrocarbons.

[illegible][illegible][illegible][illegible][illegible][illegible]

